
Area A - Granite Quarry, Heyuan Fault


08.09.2017 11:38:03

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	160.57	°
Dip angle	69.32	°
Spherical aperture	18.88	°
Concentration	18.18	
Degree of orientation	89.53	%
Cone of confidence	7.66	°
Confidence	95.0	%
Number of orientations	21 / 21	

StructureSet 02

Dip direction	340.22	°
Dip angle	78.37	°
Spherical aperture	24.51	°
Concentration	11.17	
Degree of orientation	82.79	%
Cone of confidence	8.88	°
Confidence	95.0	%
Number of orientations	26 / 26	

StructureSet 04

Dip direction	106.43	°
Dip angle	20.17	°
Spherical aperture	27.01	°
Concentration	8.62	
Degree of orientation	79.38	%
Cone of confidence	18.60	°
Confidence	95.0	%
Number of orientations	9 / 9	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 05

Dip direction	216.31	°
Dip angle	44.89	°
Spherical aperture	24.23	°
Concentration	10.80	
Degree of orientation	83.16	%
Cone of confidence	14.56	°
Confidence	95.0	%
Number of orientations	11 / 11	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
-13.36 m	-54.25 m	13.56 m	160.57 °	69.32 °

Tracemap parameters

Number of measurements	13		Number of joint traces	8	
Frequency	0.28	1/m	Total trace length	38.72	m
Mean	3.61	m	Mean trace length	4.84	m
Median	3.88	m	Median trace length	3.77	m
Standard deviation	3.87	m	Standard deviation trace length	2.79	m
Minimum	0.01	m	Minimum trace length	1.88	m
Maximum	11.93	m	Maximum trace length	8.83	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
-19.75 m	-54.60 m	17.59 m	340.22 °	78.37 °

Tracemap parameters

Number of measurements	26		Number of joint traces	12	
Frequency	0.10	1/m	Total trace length	55.17	m
Mean	9.82	m	Mean trace length	4.60	m
Median	10.28	m	Median trace length	3.63	m
Standard deviation	6.82	m	Standard deviation trace length	2.70	m
Minimum	0.05	m	Minimum trace length	1.08	m
Maximum	27.74	m	Maximum trace length	10.81	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Spacing and trace length

StructureSet 04

X	Y	Z	Dipdir	Dip
4.09 m	-51.83 m	2.21 m	106.43 °	20.17 °

Tracemap parameters

Number of measurements	2	Number of joint traces	3
Frequency	0.08 1/m	Total trace length	9.31 m
Mean	12.50 m	Mean trace length	3.10 m
Median	12.50 m	Median trace length	2.90 m
Standard deviation	0.00 m	Standard deviation trace length	1.29 m
Minimum	12.50 m	Minimum trace length	1.92 m
Maximum	12.50 m	Maximum trace length	4.48 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 05

X	Y	Z	Dipdir	Dip
-2.07 m	-55.06 m	9.21 m	216.31 °	44.89 °

Tracemap parameters

Number of measurements	11	Number of joint traces	8
Frequency	0.22 1/m	Total trace length	44.89 m
Mean	4.50 m	Mean trace length	5.61 m
Median	4.66 m	Median trace length	4.74 m
Standard deviation	2.25 m	Standard deviation trace length	2.95 m
Minimum	0.01 m	Minimum trace length	2.43 m
Maximum	7.39 m	Maximum trace length	12.11 m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area A (veiw2) - Granite Quarry, Heyuan Fault


08.09.2017 11:51:44

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	146.76	°
Dip angle	66.72	°
Spherical aperture	16.58	°
Concentration	23.57	
Degree of orientation	91.86	%
Cone of confidence	6.09	°
Confidence	95.0	%
Number of orientations	25 / 25	

StructureSet 02

Dip direction	326.89	°
Dip angle	69.68	°
Spherical aperture	15.33	°
Concentration	27.01	
Degree of orientation	93.01	%
Cone of confidence	6.77	°
Confidence	95.0	%
Number of orientations	18 / 18	

StructureSet 03

Dip direction	338.10	°
Dip angle	84.35	°
Spherical aperture	46.21	°
Concentration	3.36	
Degree of orientation	47.89	%
Cone of confidence	35.73	°
Confidence	95.0	%
Number of orientations	8 / 8	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 04

Dip direction	259.70	°
Dip angle	16.71	°
Spherical aperture	22.29	°
Concentration	12.51	
Degree of orientation	85.61	%
Cone of confidence	14.22	°
Confidence	95.0	%
Number of orientations	10 / 10	

StructureSet 05

Dip direction	5.20	°
Dip angle	25.96	°
Spherical aperture	0.00	°
Concentration	100000.00	
Degree of orientation	100.00	%
Cone of confidence	0.00	°
Confidence	95.0	%
Number of orientations	1 / 1	

StructureSet 06

Dip direction	224.44	°
Dip angle	55.23	°
Spherical aperture	18.40	°
Concentration	19.36	
Degree of orientation	90.04	%
Cone of confidence	6.36	°
Confidence	95.0	%
Number of orientations	28 / 28	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
-4.29 m	-58.31 m	0.20 m	146.76 °	66.72 °

Tracemap parameters

Number of measurements	2		Number of joint traces	5	
Frequency	0.30	1/m	Total trace length	15.62	m
Mean	3.38	m	Mean trace length	3.12	m
Median	3.18	m	Median trace length	3.16	m
Standard deviation	0.27	m	Standard deviation trace length	2.01	m
Minimum	3.18	m	Minimum trace length	0.64	m
Maximum	3.57	m	Maximum trace length	5.74	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
-13.16 m	-57.68 m	3.80 m	326.89 °	69.68 °

Tracemap parameters

Number of measurements	12	Number of joint traces	8
Frequency	0.42 1/m	Total trace length	10.16 m
Mean	2.36 m	Mean trace length	1.27 m
Median	0.24 m	Median trace length	1.00 m
Standard deviation	2.73 m	Standard deviation trace length	0.53 m
Minimum	0.20 m	Minimum trace length	0.90 m
Maximum	6.33 m	Maximum trace length	2.45 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
-7.71 m	-58.25 m	1.06 m	338.10 °	84.35 °

Tracemap parameters

Number of measurements	4		Number of joint traces	5	
Frequency	0.16	1/m	Total trace length	10.16	m
Mean	6.08	m	Mean trace length	2.03	m
Median	0.32	m	Median trace length	0.97	m
Standard deviation	6.67	m	Standard deviation trace length	2.32	m
Minimum	0.30	m	Minimum trace length	0.67	m
Maximum	11.88	m	Maximum trace length	6.13	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 04

X	Y	Z	Dipdir	Dip
2.59 m	-57.27 m	1.76 m	259.70 °	16.71 °

Tracemap parameters

Number of measurements	6	Number of joint traces	6
Frequency	0.29 1/m	Total trace length	16.33 m
Mean	3.46 m	Mean trace length	2.72 m
Median	3.92 m	Median trace length	2.54 m
Standard deviation	2.18 m	Standard deviation trace length	1.86 m
Minimum	0.73 m	Minimum trace length	0.65 m
Maximum	5.63 m	Maximum trace length	5.01 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 06

X	Y	Z	Dipdir	Dip
-12.54 m	-56.65 m	2.00 m	224.44 °	55.23 °

Tracemap parameters

Number of measurements	42	Number of joint traces	17
Frequency	0.51 1/m	Total trace length	60.67 m
Mean	1.95 m	Mean trace length	3.57 m
Median	1.26 m	Median trace length	3.19 m
Standard deviation	1.86 m	Standard deviation trace length	1.64 m
Minimum	0.02 m	Minimum trace length	1.73 m
Maximum	7.06 m	Maximum trace length	6.93 m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area A - Granite Quarry (view3), Heyuan Fault


08.09.2017 11:59:13

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	147.40	°
Dip angle	40.18	°
Spherical aperture	24.04	°
Concentration	11.12	
Degree of orientation	83.40	%
Cone of confidence	13.01	°
Confidence	95.0	%
Number of orientations	13 / 13	

StructureSet 02

Dip direction	200.10	°
Dip angle	49.83	°
Spherical aperture	16.12	°
Concentration	25.50	
Degree of orientation	92.29	%
Cone of confidence	3.77	°
Confidence	95.0	%
Number of orientations	58 / 58	

StructureSet 03

Dip direction	341.89	°
Dip angle	75.19	°
Spherical aperture	13.08	°
Concentration	32.56	
Degree of orientation	94.88	%
Cone of confidence	11.92	°
Confidence	95.0	%
Number of orientations	6 / 6	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 04

Dip direction	355.11	°
Dip angle	27.86	°
Spherical aperture	14.65	°
Concentration	26.06	
Degree of orientation	93.60	%
Cone of confidence	13.37	°
Confidence	95.0	%
Number of orientations	6 / 6	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
45.64 m	-0.06 m	2.84 m	147.40 °	40.18 °

Tracemap parameters

Number of measurements	12		Number of joint traces	6	
Frequency	0.10	1/m	Total trace length	74.83	m
Mean	9.66	m	Mean trace length	12.47	m
Median	8.40	m	Median trace length	6.42	m
Standard deviation	3.75	m	Standard deviation trace length	11.61	m
Minimum	5.16	m	Minimum trace length	2.45	m
Maximum	17.48	m	Maximum trace length	29.52	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
46.69 m	2.94 m	21.67 m	200.10 °	49.83 °

Tracemap parameters

Number of measurements	71		Number of joint traces	32	
Frequency	0.28	1/m	Total trace length	120.66	m
Mean	3.51	m	Mean trace length	3.77	m
Median	2.78	m	Median trace length	2.72	m
Standard deviation	2.90	m	Standard deviation trace length	2.79	m
Minimum	0.04	m	Minimum trace length	1.01	m
Maximum	12.48	m	Maximum trace length	14.17	m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area F - River Mylonite, Heyuan Fault


08.09.2017 14:08:55

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	147.90	°
Dip angle	62.13	°
Spherical aperture	11.78	°
Concentration	45.44	
Degree of orientation	95.83	%
Cone of confidence	5.03	°
Confidence	95.0	%
Number of orientations	19 / 19	

StructureSet 02

Dip direction	130.39	°
Dip angle	23.18	°
Spherical aperture	6.57	°
Concentration	76.48	
Degree of orientation	98.69	%
Cone of confidence	28.96	°
Confidence	95.0	%
Number of orientations	2 / 2	

StructureSet 03

Dip direction	206.48	°
Dip angle	72.93	°
Spherical aperture	16.39	°
Concentration	22.33	
Degree of orientation	92.04	%
Cone of confidence	11.14	°
Confidence	95.0	%
Number of orientations	9 / 9	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 04

Dip direction	301.71	°
Dip angle	34.11	°
Spherical aperture	16.77	°
Concentration	21.02	
Degree of orientation	91.68	%
Cone of confidence	12.36	°
Confidence	95.0	%
Number of orientations	8 / 8	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
0.57 m	-5.35 m	-0.99 m	147.90 °	62.13 °

Tracemap parameters

Number of measurements	44	Number of joint traces	17
Frequency	3.05 1/m	Total trace length	22.45 m
Mean	0.33 m	Mean trace length	1.32 m
Median	0.24 m	Median trace length	1.13 m
Standard deviation	0.30 m	Standard deviation trace length	0.88 m
Minimum	0.01 m	Minimum trace length	0.23 m
Maximum	1.44 m	Maximum trace length	3.50 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
2.13 m	-5.41 m	-1.33 m	130.39 °	23.18 °

Tracemap parameters

Number of measurements	2	Number of joint traces	2
Frequency	6.20 1/m	Total trace length	5.90 m
Mean	0.16 m	Mean trace length	2.95 m
Median	0.08 m	Median trace length	2.85 m
Standard deviation	0.12 m	Standard deviation trace length	0.14 m
Minimum	0.08 m	Minimum trace length	2.85 m
Maximum	0.24 m	Maximum trace length	3.05 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
3.04 m	-7.87 m	0.65 m	206.48 °	72.93 °

Tracemap parameters

Number of measurements	22		Number of joint traces	9	
Frequency	1.72	1/m	Total trace length	12.47	m
Mean	0.58	m	Mean trace length	1.39	m
Median	0.41	m	Median trace length	1.38	m
Standard deviation	0.55	m	Standard deviation trace length	0.38	m
Minimum	0.00	m	Minimum trace length	0.81	m
Maximum	1.89	m	Maximum trace length	1.93	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 04

X	Y	Z	Dipdir	Dip
0.18 m	-5.97 m	-0.05 m	301.71 °	34.11 °

Tracemap parameters

Number of measurements	6	Number of joint traces	5
Frequency	1.82 1/m	Total trace length	4.47 m
Mean	0.55 m	Mean trace length	0.89 m
Median	0.56 m	Median trace length	0.81 m
Standard deviation	0.19 m	Standard deviation trace length	0.33 m
Minimum	0.31 m	Minimum trace length	0.52 m
Maximum	0.75 m	Maximum trace length	1.40 m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area G -River Mylonite (view 2), Heyuan Fault


08.09.2017 14:19:15

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture
Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	156.79	°
Dip angle	53.03	°
Spherical aperture	13.34	°
Concentration	36.35	
Degree of orientation	94.68	%
Cone of confidence	4.34	°
Confidence	95.0	%
Number of orientations	31 / 31	

StructureSet 02

Dip direction	201.64	°
Dip angle	8.24	°
Spherical aperture	13.83	°
Concentration	31.11	
Degree of orientation	94.29	%
Cone of confidence	9.38	°
Confidence	95.0	%
Number of orientations	9 / 9	

StructureSet 03

Dip direction	206.38	°
Dip angle	79.87	°
Spherical aperture	15.89	°
Concentration	25.67	
Degree of orientation	92.51	%
Cone of confidence	5.71	°
Confidence	95.0	%
Number of orientations	26 / 26	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
-2.65 m	-8.98 m	-0.17 m	156.79 °	53.03 °

Tracemap parameters

Number of measurements	18	Number of joint traces	11
Frequency	2.41 1/m	Total trace length	8.21 m
Mean	0.42 m	Mean trace length	0.75 m
Median	0.39 m	Median trace length	0.75 m
Standard deviation	0.21 m	Standard deviation trace length	0.35 m
Minimum	0.13 m	Minimum trace length	0.29 m
Maximum	0.81 m	Maximum trace length	1.48 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
-3.05 m	-8.92 m	-0.62 m	201.64 °	8.24 °

Tracemap parameters

Number of measurements	17		Number of joint traces	9	
Frequency	2.50	1/m	Total trace length	10.22	m
Mean	0.40	m	Mean trace length	1.14	m
Median	0.35	m	Median trace length	1.06	m
Standard deviation	0.27	m	Standard deviation trace length	0.60	m
Minimum	0.00	m	Minimum trace length	0.30	m
Maximum	0.94	m	Maximum trace length	2.00	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
-4.09 m	-9.30 m	0.54 m	206.38 °	79.87 °

Tracemap parameters

Number of measurements	51	Number of joint traces	18
Frequency	2.17 1/m	Total trace length	14.05 m
Mean	0.46 m	Mean trace length	0.78 m
Median	0.34 m	Median trace length	0.56 m
Standard deviation	0.52 m	Standard deviation trace length	0.55 m
Minimum	0.01 m	Minimum trace length	0.19 m
Maximum	1.94 m	Maximum trace length	1.95 m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area J - Leiyao Quartz Reef Quary, Heyuan Fault


08.09.2017 11:02:26

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	356.98	°
Dip angle	75.76	°
Spherical aperture	17.20	°
Concentration	21.95	
Degree of orientation	91.25	%
Cone of confidence	6.32	°
Confidence	95.0	%
Number of orientations	25 / 25	

StructureSet 02

Dip direction	127.07	°
Dip angle	41.45	°
Spherical aperture	21.63	°
Concentration	13.24	
Degree of orientation	86.41	%
Cone of confidence	13.78	°
Confidence	95.0	%
Number of orientations	10 / 10	

StructureSet 03

Dip direction	94.15	°
Dip angle	66.67	°
Spherical aperture	19.94	°
Concentration	16.65	
Degree of orientation	88.37	%
Cone of confidence	6.53	°
Confidence	95.0	%
Number of orientations	31 / 31	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 04

Dip direction	220.09	°
Dip angle	22.02	°
Spherical aperture	19.53	°
Concentration	16.95	
Degree of orientation	88.82	%
Cone of confidence	8.40	°
Confidence	95.0	%
Number of orientations	19 / 19	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
-33.29 m	32.77 m	20.77 m	356.98 °	75.76 °

Tracemap parameters

Number of measurements	41		Number of joint traces	17	
Frequency	0.24	1/m	Total trace length	87.68	m
Mean	4.21	m	Mean trace length	5.16	m
Median	3.19	m	Median trace length	3.84	m
Standard deviation	4.05	m	Standard deviation trace length	3.69	m
Minimum	0.15	m	Minimum trace length	1.52	m
Maximum	15.21	m	Maximum trace length	15.76	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
-36.75 m	31.21 m	20.89 m	127.07 °	41.45 °

Tracemap parameters

Number of measurements	18		Number of joint traces	10	
Frequency	0.09	1/m	Total trace length	39.92	m
Mean	11.29	m	Mean trace length	3.99	m
Median	5.73	m	Median trace length	3.96	m
Standard deviation	8.89	m	Standard deviation trace length	1.75	m
Minimum	0.00	m	Minimum trace length	1.75	m
Maximum	22.63	m	Maximum trace length	7.63	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
-33.33 m	27.57 m	8.38 m	94.15 °	66.67 °

Tracemap parameters

Number of measurements	19		Number of joint traces	11	
Frequency	0.12	1/m	Total trace length	49.69	m
Mean	8.36	m	Mean trace length	4.52	m
Median	8.47	m	Median trace length	4.17	m
Standard deviation	7.69	m	Standard deviation trace length	2.76	m
Minimum	0.00	m	Minimum trace length	1.34	m
Maximum	24.08	m	Maximum trace length	10.37	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length


StructureSet 04

X	Y	Z	Dipdir	Dip
-15.65 m	42.26 m	9.90 m	220.09 °	22.02 °

Tracemap parameters

Number of measurements	29	Number of joint traces	14
Frequency	0.51 1/m	Total trace length	51.64 m
Mean	1.96 m	Mean trace length	3.69 m
Median	1.80 m	Median trace length	2.28 m
Standard deviation	1.17 m	Standard deviation trace length	3.66 m
Minimum	0.00 m	Minimum trace length	1.17 m
Maximum	4.85 m	Maximum trace length	13.20 m





Intersection mark
Scanline
Joint trace

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area K - Leiyao Quartz Quarry, Heyuan Fault


08.09.2017 14:48:34

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	201.32	°
Dip angle	23.89	°
Spherical aperture	17.98	°
Concentration	19.94	
Degree of orientation	90.47	%
Cone of confidence	7.50	°
Confidence	95.0	%
Number of orientations	20 / 20	

StructureSet 02

Dip direction	96.49	°
Dip angle	56.42	°
Spherical aperture	12.04	°
Concentration	43.29	
Degree of orientation	95.65	%
Cone of confidence	5.48	°
Confidence	95.0	%
Number of orientations	17 / 17	

StructureSet 03

Dip direction	353.68	°
Dip angle	76.34	°
Spherical aperture	12.30	°
Concentration	42.38	
Degree of orientation	95.46	%
Cone of confidence	4.41	°
Confidence	95.0	%
Number of orientations	26 / 26	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
-16.56 m	42.96 m	7.73 m	201.32 °	23.89 °

Tracemap parameters

Number of measurements	38	Number of joint traces	15
Frequency	0.50 1/m	Total trace length	41.38 m
Mean	2.00 m	Mean trace length	2.76 m
Median	2.00 m	Median trace length	1.84 m
Standard deviation	1.25 m	Standard deviation trace length	1.69 m
Minimum	0.00 m	Minimum trace length	1.01 m
Maximum	4.70 m	Maximum trace length	5.92 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
-15.33 m	41.42 m	3.08 m	96.49 °	56.42 °

Tracemap parameters

Number of measurements	15	Number of joint traces	8
Frequency	0.58 1/m	Total trace length	36.75 m
Mean	1.73 m	Mean trace length	4.59 m
Median	0.83 m	Median trace length	3.25 m
Standard deviation	1.59 m	Standard deviation trace length	3.14 m
Minimum	0.13 m	Minimum trace length	1.28 m
Maximum	4.03 m	Maximum trace length	10.39 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
-12.24 m	42.67 m	4.01 m	353.68 °	76.34 °

Tracemap parameters

Number of measurements	58	Number of joint traces	21
Frequency	0.49 1/m	Total trace length	62.28 m
Mean	2.03 m	Mean trace length	2.97 m
Median	1.72 m	Median trace length	2.16 m
Standard deviation	1.29 m	Standard deviation trace length	2.13 m
Minimum	0.29 m	Minimum trace length	0.87 m
Maximum	5.80 m	Maximum trace length	9.33 m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area L - Leiyao Quartz quarry, Heyuan Fault


08.09.2017 11:17:54

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	24.37	°
Dip angle	86.77	°
Spherical aperture	13.95	°
Concentration	32.85	
Degree of orientation	94.19	%
Cone of confidence	5.49	°
Confidence	95.0	%
Number of orientations	22 / 22	

StructureSet 02

Dip direction	130.34	°
Dip angle	71.21	°
Spherical aperture	6.82	°
Concentration	113.43	
Degree of orientation	98.59	%
Cone of confidence	7.21	°
Confidence	95.0	%
Number of orientations	5 / 5	

StructureSet 03

Dip direction	256.90	°
Dip angle	18.51	°
Spherical aperture	9.81	°
Concentration	55.16	
Degree of orientation	97.10	%
Cone of confidence	10.39	°
Confidence	95.0	%
Number of orientations	5 / 5	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 04

Dip direction	281.45	°
Dip angle	84.84	°
Spherical aperture	14.09	°
Concentration	31.74	
Degree of orientation	94.07	%
Cone of confidence	6.43	°
Confidence	95.0	%
Number of orientations	17 / 17	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
8.10 m	-7.00 m	1.13 m	24.37 °	86.77 °

Tracemap parameters

Number of measurements	29	Number of joint traces	11
Frequency	0.57 1/m	Total trace length	27.57 m
Mean	1.75 m	Mean trace length	2.51 m
Median	1.30 m	Median trace length	2.38 m
Standard deviation	1.39 m	Standard deviation trace length	1.60 m
Minimum	0.02 m	Minimum trace length	0.72 m
Maximum	5.02 m	Maximum trace length	5.82 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
10.83 m	-6.73 m	2.16 m	130.34 °	71.21 °

Tracemap parameters

Number of measurements	6	Number of joint traces	5
Frequency	0.23 1/m	Total trace length	13.32 m
Mean	4.35 m	Mean trace length	2.66 m
Median	3.89 m	Median trace length	2.92 m
Standard deviation	1.95 m	Standard deviation trace length	1.21 m
Minimum	2.36 m	Minimum trace length	0.98 m
Maximum	6.74 m	Maximum trace length	4.03 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
7.63 m	-7.33 m	3.03 m	256.90 °	18.51 °

Tracemap parameters

Number of measurements	4	Number of joint traces	5
Frequency	0.46 1/m	Total trace length	14.18 m
Mean	2.16 m	Mean trace length	2.84 m
Median	2.04 m	Median trace length	3.34 m
Standard deviation	0.30 m	Standard deviation trace length	1.28 m
Minimum	1.79 m	Minimum trace length	1.09 m
Maximum	2.42 m	Maximum trace length	4.35 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 04

X	Y	Z	Dipdir	Dip
13.63 m	-5.29 m	3.04 m	281.45 °	84.84 °

Tracemap parameters

Number of measurements	20		Number of joint traces	9	
Frequency	0.71	1/m	Total trace length	18.79	m
Mean	1.41	m	Mean trace length	2.09	m
Median	1.29	m	Median trace length	1.23	m
Standard deviation	0.73	m	Standard deviation trace length	2.07	m
Minimum	0.51	m	Minimum trace length	0.49	m
Maximum	2.80	m	Maximum trace length	5.90	m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area M- Road Transect, Heyuan Fault


08.09.2017 16:18:53

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	24.44	°
Dip angle	38.89	°
Spherical aperture	19.95	°
Concentration	16.11	
Degree of orientation	88.36	%
Cone of confidence	9.48	°
Confidence	95.0	%
Number of orientations	16 / 16	

StructureSet 02

Dip direction	91.95	°
Dip angle	81.81	°
Spherical aperture	16.25	°
Concentration	22.34	
Degree of orientation	92.17	%
Cone of confidence	11.98	°
Confidence	95.0	%
Number of orientations	8 / 8	

StructureSet 03

Dip direction	223.93	°
Dip angle	81.82	°
Spherical aperture	21.92	°
Concentration	12.55	
Degree of orientation	86.06	%
Cone of confidence	16.26	°
Confidence	95.0	%
Number of orientations	8 / 8	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
-1.63 m	17.78 m	1.47 m	24.44 °	38.89 °

Tracemap parameters

Number of measurements	54	Number of joint traces	17
Frequency	0.82 1/m	Total trace length	55.72 m
Mean	1.22 m	Mean trace length	3.28 m
Median	0.82 m	Median trace length	2.90 m
Standard deviation	1.29 m	Standard deviation trace length	2.13 m
Minimum	0.00 m	Minimum trace length	1.35 m
Maximum	7.56 m	Maximum trace length	9.61 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
-3.83 m	16.01 m	0.94 m	91.95 °	81.81 °

Tracemap parameters

Number of measurements	19	Number of joint traces	7
Frequency	3.97 1/m	Total trace length	19.03 m
Mean	0.25 m	Mean trace length	2.72 m
Median	0.24 m	Median trace length	2.56 m
Standard deviation	0.24 m	Standard deviation trace length	1.30 m
Minimum	0.00 m	Minimum trace length	1.51 m
Maximum	0.89 m	Maximum trace length	5.29 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
-2.83 m	17.46 m	3.19 m	223.93 °	81.82 °

Tracemap parameters

Number of measurements	6	Number of joint traces	5
Frequency	0.63 1/m	Total trace length	5.95 m
Mean	1.58 m	Mean trace length	1.19 m
Median	1.22 m	Median trace length	1.25 m
Standard deviation	1.22 m	Standard deviation trace length	0.48 m
Minimum	0.36 m	Minimum trace length	0.62 m
Maximum	3.12 m	Maximum trace length	1.80 m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area N - Road transect, Heyuan Fault


08.09.2017 15:09:22

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	146.67	°
Dip angle	40.30	°
Spherical aperture	14.06	°
Concentration	33.04	
Degree of orientation	94.10	%
Cone of confidence	4.05	°
Confidence	95.0	%
Number of orientations	39 / 39	

StructureSet 02

Dip direction	26.51	°
Dip angle	88.14	°
Spherical aperture	16.20	°
Concentration	24.87	
Degree of orientation	92.22	%
Cone of confidence	5.29	°
Confidence	95.0	%
Number of orientations	31 / 31	

StructureSet 03

Dip direction	314.22	°
Dip angle	52.79	°
Spherical aperture	23.09	°
Concentration	12.28	
Degree of orientation	84.61	%
Cone of confidence	10.28	°
Confidence	95.0	%
Number of orientations	18 / 18	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
13.98 m	9.95 m	1.86 m	146.67 °	40.30 °

Tracemap parameters

Number of measurements	58	Number of joint traces	22
Frequency	1.76 1/m	Total trace length	37.22 m
Mean	0.57 m	Mean trace length	1.69 m
Median	0.41 m	Median trace length	1.31 m
Standard deviation	0.48 m	Standard deviation trace length	1.25 m
Minimum	0.00 m	Minimum trace length	0.50 m
Maximum	1.98 m	Maximum trace length	5.85 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
14.10 m	8.41 m	2.41 m	26.51 °	88.14 °

Tracemap parameters

Number of measurements	67		Number of joint traces	23	
Frequency	1.18	1/m	Total trace length	28.94	m
Mean	0.85	m	Mean trace length	1.26	m
Median	0.43	m	Median trace length	1.15	m
Standard deviation	1.03	m	Standard deviation trace length	0.65	m
Minimum	0.00	m	Minimum trace length	0.28	m
Maximum	3.96	m	Maximum trace length	2.42	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
13.96 m	9.84 m	3.14 m	314.22 °	52.79 °

Tracemap parameters

Number of measurements	9	Number of joint traces	8
Frequency	0.56 1/m	Total trace length	7.79 m
Mean	1.80 m	Mean trace length	0.97 m
Median	0.98 m	Median trace length	0.86 m
Standard deviation	1.71 m	Standard deviation trace length	0.42 m
Minimum	0.18 m	Minimum trace length	0.45 m
Maximum	4.87 m	Maximum trace length	1.57 m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area O- Road Transect, Heyuan Fault


08.09.2017 16:38:21

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	167.86	°
Dip angle	37.73	°
Spherical aperture	11.20	°
Concentration	50.90	
Degree of orientation	96.23	%
Cone of confidence	4.10	°
Confidence	95.0	%
Number of orientations	25 / 25	

StructureSet 02

Dip direction	10.11	°
Dip angle	88.54	°
Spherical aperture	18.76	°
Concentration	18.13	
Degree of orientation	89.66	%
Cone of confidence	8.91	°
Confidence	95.0	%
Number of orientations	16 / 16	

StructureSet 03

Dip direction	342.35	°
Dip angle	53.87	°
Spherical aperture	10.60	°
Concentration	54.23	
Degree of orientation	96.62	%
Cone of confidence	5.95	°
Confidence	95.0	%
Number of orientations	12 / 12	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
17.54 m	-2.87 m	0.67 m	167.86 °	37.73 °

Tracemap parameters

Number of measurements	46	Number of joint traces	20
Frequency	2.91 1/m	Total trace length	29.97 m
Mean	0.34 m	Mean trace length	1.50 m
Median	0.18 m	Median trace length	1.34 m
Standard deviation	0.36 m	Standard deviation trace length	0.79 m
Minimum	0.00 m	Minimum trace length	0.52 m
Maximum	1.32 m	Maximum trace length	4.16 m



Intersection mark
Scanline
Joint trace

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
14.37 m	2.18 m	-0.80 m	10.11 °	88.54 °

Tracemap parameters

Number of measurements	6	Number of joint traces	6
Frequency	0.98 1/m	Total trace length	9.00 m
Mean	1.02 m	Mean trace length	1.50 m
Median	0.74 m	Median trace length	1.37 m
Standard deviation	0.50 m	Standard deviation trace length	0.62 m
Minimum	0.64 m	Minimum trace length	0.64 m
Maximum	1.69 m	Maximum trace length	2.36 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
16.40 m	-2.78 m	-1.14 m	342.35 °	53.87 °

Tracemap parameters

Number of measurements	5		Number of joint traces	5	
Frequency	14.01	1/m	Total trace length	6.66	m
Mean	0.07	m	Mean trace length	1.33	m
Median	0.03	m	Median trace length	1.06	m
Standard deviation	0.11	m	Standard deviation trace length	0.85	m
Minimum	0.00	m	Minimum trace length	0.71	m
Maximum	0.27	m	Maximum trace length	2.83	m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area P- Road Transect, Heyuan Fault


08.09.2017 16:57:38

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	31.54	°
Dip angle	78.23	°
Spherical aperture	0.00	°
Concentration	100000.00	
Degree of orientation	100.00	%
Cone of confidence	0.00	°
Confidence	95.0	%
Number of orientations	1 / 1	

StructureSet 02

Dip direction	166.93	°
Dip angle	39.97	°
Spherical aperture	15.42	°
Concentration	26.93	
Degree of orientation	92.93	%
Cone of confidence	6.24	°
Confidence	95.0	%
Number of orientations	21 / 21	

StructureSet 03

Dip direction	269.68	°
Dip angle	64.52	°
Spherical aperture	19.57	°
Concentration	14.27	
Degree of orientation	88.78	%
Cone of confidence	20.97	°
Confidence	95.0	%
Number of orientations	5 / 5	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 04

Dip direction	227.49	°
Dip angle	70.22	°
Spherical aperture	7.47	°
Concentration	94.57	
Degree of orientation	98.31	%
Cone of confidence	7.91	°
Confidence	95.0	%
Number of orientations	5 / 5	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
-9.83 m	-24.18 m	-1.08 m	166.93 °	39.97 °

Tracemap parameters

Number of measurements	62	Number of joint traces	22
Frequency	0.79 1/m	Total trace length	42.82 m
Mean	1.27 m	Mean trace length	1.95 m
Median	0.98 m	Median trace length	1.64 m
Standard deviation	1.06 m	Standard deviation trace length	1.05 m
Minimum	0.03 m	Minimum trace length	0.57 m
Maximum	5.17 m	Maximum trace length	4.16 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
-8.92 m	-23.81 m	-1.40 m	269.68 °	64.52 °

Tracemap parameters

Number of measurements	8	Number of joint traces	5
Frequency	3.58 1/m	Total trace length	14.48 m
Mean	0.28 m	Mean trace length	2.90 m
Median	0.04 m	Median trace length	2.40 m
Standard deviation	0.36 m	Standard deviation trace length	1.25 m
Minimum	0.00 m	Minimum trace length	1.82 m
Maximum	0.99 m	Maximum trace length	4.92 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 04

X	Y	Z	Dipdir	Dip
-11.11 m	-25.49 m	-0.62 m	227.49 °	70.22 °

Tracemap parameters

Number of measurements	10		Number of joint traces	5	
Frequency	2.55	1/m	Total trace length	19.17	m
Mean	0.39	m	Mean trace length	3.83	m
Median	0.26	m	Median trace length	3.84	m
Standard deviation	0.45	m	Standard deviation trace length	1.02	m
Minimum	0.00	m	Minimum trace length	2.74	m
Maximum	1.22	m	Maximum trace length	5.42	m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area Q- Road Transect, Heyuan Fault


08.09.2017 15:28:57

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	325.04	°
Dip angle	64.67	°
Spherical aperture	22.67	°
Concentration	12.12	
Degree of orientation	85.14	%
Cone of confidence	14.46	°
Confidence	95.0	%
Number of orientations	10 / 10	

StructureSet 02

Dip direction	250.42	°
Dip angle	37.59	°
Spherical aperture	12.97	°
Concentration	38.09	
Degree of orientation	94.96	%
Cone of confidence	4.75	°
Confidence	95.0	%
Number of orientations	25 / 25	

StructureSet 03

Dip direction	307.72	°
Dip angle	79.18	°
Spherical aperture	11.86	°
Concentration	39.49	
Degree of orientation	95.78	%
Cone of confidence	10.79	°
Confidence	95.0	%
Number of orientations	6 / 6	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
-7.47 m	-1.15 m	-1.14 m	325.04 °	64.67 °

Tracemap parameters

Number of measurements	8	Number of joint traces	4
Frequency	4.52 1/m	Total trace length	10.50 m
Mean	0.22 m	Mean trace length	2.63 m
Median	0.06 m	Median trace length	2.26 m
Standard deviation	0.33 m	Standard deviation trace length	0.83 m
Minimum	0.00 m	Minimum trace length	1.62 m
Maximum	0.91 m	Maximum trace length	3.32 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
-7.62 m	-0.96 m	-1.04 m	250.42 °	37.59 °

Tracemap parameters

Number of measurements	79	Number of joint traces	25
Frequency	1.91 1/m	Total trace length	28.54 m
Mean	0.52 m	Mean trace length	1.14 m
Median	0.31 m	Median trace length	0.86 m
Standard deviation	0.57 m	Standard deviation trace length	0.81 m
Minimum	0.00 m	Minimum trace length	0.33 m
Maximum	2.88 m	Maximum trace length	3.36 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
-6.53 m	-4.01 m	1.12 m	307.72 °	79.18 °

Tracemap parameters

Number of measurements	12	Number of joint traces	6
Frequency	2.30 1/m	Total trace length	18.15 m
Mean	0.43 m	Mean trace length	3.02 m
Median	0.25 m	Median trace length	2.52 m
Standard deviation	0.42 m	Standard deviation trace length	1.10 m
Minimum	0.02 m	Minimum trace length	1.99 m
Maximum	1.24 m	Maximum trace length	4.74 m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area R- Road Transect, Heyuan Fault


08.09.2017 15:40:28

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	137.58	°
Dip angle	55.45	°
Spherical aperture	17.53	°
Concentration	21.00	
Degree of orientation	90.93	%
Cone of confidence	7.10	°
Confidence	95.0	%
Number of orientations	21 / 21	

StructureSet 02

Dip direction	334.19	°
Dip angle	10.22	°
Spherical aperture	12.93	°
Concentration	35.53	
Degree of orientation	95.00	%
Cone of confidence	8.76	°
Confidence	95.0	%
Number of orientations	9 / 9	

StructureSet 03

Dip direction	267.49	°
Dip angle	42.63	°
Spherical aperture	25.63	°
Concentration	10.10	
Degree of orientation	81.29	%
Cone of confidence	11.44	°
Confidence	95.0	%
Number of orientations	18 / 18	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
5.45 m	-12.94 m	-2.77 m	137.58 °	55.45 °

Tracemap parameters

Number of measurements	13	Number of joint traces	8
Frequency	1.58 1/m	Total trace length	7.32 m
Mean	0.63 m	Mean trace length	0.91 m
Median	0.50 m	Median trace length	0.73 m
Standard deviation	0.36 m	Standard deviation trace length	0.44 m
Minimum	0.22 m	Minimum trace length	0.54 m
Maximum	1.39 m	Maximum trace length	1.85 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
5.55 m	-13.19 m	-1.66 m	334.19 °	10.22 °

Tracemap parameters

Number of measurements	7	Number of joint traces	9
Frequency	3.62 1/m	Total trace length	4.33 m
Mean	0.28 m	Mean trace length	0.48 m
Median	0.20 m	Median trace length	0.44 m
Standard deviation	0.28 m	Standard deviation trace length	0.22 m
Minimum	0.02 m	Minimum trace length	0.14 m
Maximum	0.68 m	Maximum trace length	0.88 m



Intersection mark
Scanline
Joint trace

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
3.82 m	-14.16 m	-1.01 m	267.49 °	42.63 °

Tracemap parameters

Number of measurements	31	Number of joint traces	12
Frequency	9.95 1/m	Total trace length	6.04 m
Mean	0.10 m	Mean trace length	0.50 m
Median	0.08 m	Median trace length	0.43 m
Standard deviation	0.09 m	Standard deviation trace length	0.21 m
Minimum	0.00 m	Minimum trace length	0.23 m
Maximum	0.37 m	Maximum trace length	1.03 m




Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Area S- Road Transect(view2 of R), Heyuan Fault


08.09.2017 15:57:49

Lisa Tannock



Stereonet

Lambert projection of lower hemisphere



Aperture

Cone of confidence

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 01

Dip direction	154.02	°
Dip angle	28.90	°
Spherical aperture	18.33	°
Concentration	16.18	
Degree of orientation	90.11	%
Cone of confidence	19.61	°
Confidence	95.0	%
Number of orientations	5 / 5	

StructureSet 02

Dip direction	330.45	°
Dip angle	8.17	°
Spherical aperture	12.03	°
Concentration	38.35	
Degree of orientation	95.65	%
Cone of confidence	10.96	°
Confidence	95.0	%
Number of orientations	6 / 6	

StructureSet 03

Dip direction	252.18	°
Dip angle	57.07	°
Spherical aperture	7.77	°
Concentration	91.19	
Degree of orientation	98.17	%
Cone of confidence	7.05	°
Confidence	95.0	%
Number of orientations	6 / 6	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz

Stereonet parameters

StructureSet 04

Dip direction	192.02	°
Dip angle	77.46	°
Spherical aperture	17.78	°
Concentration	19.65	
Degree of orientation	90.67	%
Cone of confidence	10.04	°
Confidence	95.0	%
Number of orientations	12 / 12	

Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 01

X	Y	Z	Dipdir	Dip
1.76 m	-5.11 m	-1.11 m	154.02 °	28.90 °

Tracemap parameters

Number of measurements	10	Number of joint traces	5
Frequency	2.39 1/m	Total trace length	3.60 m
Mean	0.42 m	Mean trace length	0.72 m
Median	0.44 m	Median trace length	0.57 m
Standard deviation	0.32 m	Standard deviation trace length	0.34 m
Minimum	0.00 m	Minimum trace length	0.42 m
Maximum	1.06 m	Maximum trace length	1.17 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 02

X	Y	Z	Dipdir	Dip
2.94 m	-5.03 m	-0.94 m	330.45 °	8.17 °

Tracemap parameters

Number of measurements	6	Number of joint traces	7
Frequency	8.32 1/m	Total trace length	2.55 m
Mean	0.12 m	Mean trace length	0.36 m
Median	0.10 m	Median trace length	0.21 m
Standard deviation	0.06 m	Standard deviation trace length	0.30 m
Minimum	0.02 m	Minimum trace length	0.08 m
Maximum	0.19 m	Maximum trace length	0.87 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 03

X	Y	Z	Dipdir	Dip
2.86 m	-4.93 m	-1.26 m	252.18 °	57.07 °

Tracemap parameters

Number of measurements	5		Number of joint traces	4	
Frequency	14.24	1/m	Total trace length	1.84	m
Mean	0.07	m	Mean trace length	0.46	m
Median	0.00	m	Median trace length	0.43	m
Standard deviation	0.10	m	Standard deviation trace length	0.05	m
Minimum	0.00	m	Minimum trace length	0.42	m
Maximum	0.21	m	Maximum trace length	0.52	m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz


Spacing and trace length

StructureSet 04

X	Y	Z	Dipdir	Dip
2.39 m	-5.25 m	-0.66 m	192.02 °	77.46 °

Tracemap parameters

Number of measurements	24	Number of joint traces	11
Frequency	4.79 1/m	Total trace length	2.77 m
Mean	0.21 m	Mean trace length	0.25 m
Median	0.10 m	Median trace length	0.25 m
Standard deviation	0.23 m	Standard deviation trace length	0.07 m
Minimum	0.00 m	Minimum trace length	0.15 m
Maximum	0.70 m	Maximum trace length	0.38 m



Licensed: Universität Bern, Institut für Geologie Baltzerstraße 3, 3012 Bern, Schweiz